This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Doppler Flow Velocity Profiles Intracoronary

E=14 11E

Adenosine 18 µg


ic bolus

CVT-3146 30 µg

Figure 1

APV= PERK


iv bolus




CVT-3146 and Coronary Flow Velocity Duration of Effect:

		Duration ≥2.5 Baseline
Dose (n)		Mean ± SEM
10 нд	(4)	0
30 µg	(4)	0
100 µд	(3)	0.2 ± 0.2 minutes
300 µg	(4)	2.2 ± 1.3 minutes
400 нд	(8)	2.8 ± 0.8 minutes
500 µg ((4)	2.9 ± 1.3 minutes

Figure 3










Figure 7


Transient		
	All Doses	400 µg
Adverse Event	(n = 36)	(n = 0)
chest discomfort	က	က
increased heart rate	က	~
hypotension	2	7
flushing	2	
shortness of breath	2	0
funny taste in mouth	_	0
sensation in mouth, sinus, and chest	_	0
headache	_	0
tingling in hands	_	~
heart racing	_	
bradycardia	_	~
lightheadedness	_	_
cough	-	0
nausea and vomiting	~	C
















Figure 1

























Figure 17

